



DRS 5100-5200 SERIES

www.dooras.com

COVER OPTIONS





DRS 5100-5200

DRS 5100 INTERNAL MATERIALS

• 1 piece 6Kg or 9Kg or 12Kg Dry Chemical Powdered Fire Tube, TS 862 EN 3-7 + A1

DRS 5200 INTERNAL MATERIALS

• 2 pieces 6Kg or 9Kg or 12Kg Dry Chemical Powdered Fire Tube, TS 862 EN 3-7 + A1

PRODUCT TECHNICAL SPECIFICATIONS


DISASSEMBLED COVER

- Al Quality Sheet Metal Production, Disassembled Sheet Metal or Glass Cover
- Recessed Handle (Corrosion Resistant Stainless)
- 180° Openable, Recessed-Hidden Hinge System (Corrosion Resistant Stainless)
- 4mm, Smoked Color or Black Painted Tempered Glass on Glass Covers
- Warning Signs and Signs in ISO 7010 Standards on the Cover (Tear-Free and Nonfading)
- Cover Phosphate Coating with Red or White Electrostatic Powder Painted.
- Optional Color and Design Options (Ral Codes for customer requests)

CASE

- A1 Quality Manufactured as a single piece of sheet metal, Recessed or Surface Mounted Case
- Mounting, Ventilation and Water Drain Holes
- Case Phosphate Coating with Red or White Electrostatic Powder Painted.
- Optional Color and Design Options (Ral Codes for customer requests)
- Products are shipped with cardboard packaging after tested hundred percent.

DRS 5100-5200 FIRE EXTINGUISHER CABINETS - WITH EXTINGUISHER HELD UPRIGHT



RECESSED TYPE	MODEL	PRODUCT DESCRIPTION	CASE TYPE	CASE DIMENSIONS (mm)	TUBE CAPACITY	COVER OPTIONS
	DRS5100.1RT_	Single Tubed, Single Cover Fire Tube Cabinet	Recessed	330x740x200	- 6kg / 9kg / 12kg	T1,T3,T4
	DRS5200.1RT_	Double Tubed, Single Cover Fire Tube Cabinet		330x740x200		

ИТЕО ТҮРЕ						
E MOUN	DRS5100.1ST_	Single Tubed, Single Cover Fire Tube Cabinet	Surface	350x760x200	6kg / 9kg / 12kg	T1,T3,T4
SURFACE	DRS5200.1ST_	Double Tubed, Single Cover Fire Tube Cabinet	Mounted	350x760x200	6Kg / 9Kg / 12Kg	11,13,14



DOORAS A.Ş. reserves the right to make modifications on the products without notification.



An esthetical touch

www.dooras.com